

CCSU  
DEPARTMENT OF MATHEMATICAL SCIENCES

COLLOQUIUM

Friday, February 25

3:00 – 4:00 PM

Maria Sanford, Room 101

PREPARATION OF 3-QUBIT STATES

OSCAR PERDOMO

CENTRAL CONNECTICUT STATE UNIVERSITY

Joint work with Nelson Castaneda and Roger Vogeler

**Abstract:** A classical computer with 3 bits has 8 states, they are  $|000\rangle$ ,  $|001\rangle$ ,  $|010\rangle$ ,  $|011\rangle$ ,  $|100\rangle$ ,  $|101\rangle$ ,  $|110\rangle$  and  $|111\rangle$ . With a few gates it is easy to change from any state to another. A quantum computer with three quantum bits (three qubits) has infinitely many possible states. More precisely, the possible states are

$$z_1|000\rangle + z_2|001\rangle + z_3|010\rangle + z_4|011\rangle + z_5|100\rangle + z_6|101\rangle + z_7|110\rangle + z_8|111\rangle$$

where the  $z_k$  are complex number satisfying  $\sum_{k=1}^8 |z_k|^2 = 1$ . The  $z_k$ 's are called the amplitudes. Gates that only act on one of the three qubits are called local gates, and gates that interact with more than one qubit are called non-local gates. The controlled-Z gates act on two qubits and it is known that any circuit can be built using local gates and controlled-Z gates. We say that a circuit prepares a particular qubit state if this circuit takes the qubit  $|000\rangle$  to the given qubit state.

In contrast with a classical computer, the problem of finding optimal circuits (circuits that use the least number of controlled-Z gates) that takes any qubit state into another is so difficult that even for a quantum computer with only three qubits, the problem remains open.

We call a pure qubit state real if all its amplitudes are real numbers. In this talk we show that any real 3-qubit state can be prepared using local gates represented with real numbers and at most four controlled-Z gates. We conjecture that four is optimal. We also present an algorithm---different from the 2008 algorithm given by Znidaric, Giraud and Georgeot---that prepares any 3-qubit state using local gates and at most three controlled-Z gates. Videos showing how our method works for two- and three-qubit states can be found at <https://youtu.be/LIdYSs-rE-o> and <https://youtu.be/Kne0Vq7gyzQ>.

To join us online use the following link: <https://ccsu.webex.com/meet/gotchev>

For further information: [gotchevi@ccsu.edu](mailto:gotchevi@ccsu.edu); 860-832-2839; <https://web.ccsu.edu/colloquium/>